



HyperShield™

Award Winning HyperSpike™ Technology

Features

- Acoustic deterrent at a 50 m standoff or greater
- Penetrating, high frequency alert tone
- Extremely loud 140 dB acoustic output
- Lightweight & sturdy – 16 lbs (7.3 kg)
- Replaceable polycarbonate windshield

Providing unparalleled protection combined with acoustic deterrence and authoritative commands, the HyperShield™ is ideal for sound reinforcement in the crowd and riot control environment.

With 140 dB of acoustic output, the HyperShield easily penetrates high noise environments and helps create an acoustic standoff of 50 m with intelligible commands, authoritative messages and piercing alert tones.

With a forearm holding the HyperShield, either hand can quickly apply the less-than-lethal 2 kHz alert tone which instantly notifies and commands attention from the intended targets, allowing the officer to take control of the situation.

Equipped with a ruggedized MP3 player and easy-to-activate buttons, the HyperShield can broadcast recorded warnings, notifications and announcements with authority.

Applications

- Riot Control
- Military Police
- Crowd Control
- Special Operations
- Law Enforcement
- SWAT teams



HyperShield™ Specifications



Physical Specifications

Dimensions	48" H x 24" W (122 cm H x 61 cm W)
Weight	16 lbs. (7.3 kg) including batteries

Construction Material

Windshield	Polycarbonate, replaceable
Shield	0.250" carbon fiber matrix
Color	Clear / Black

Acoustic Specifications

Sound pressure level max.	140 dB, A-weighted @ 1m
Beam width, primary	20° conical @ 2 kHz
Range	>435 yards (400 m)
Frequency response	800 Hz – 23 kHz

Battery Requirements

Type	Alkaline, 9V batteries, 6 total
Battery life, typical use	4 hours

Included with HyperShield:

- Handheld microphone
- MP3 player in waterproof case



Ultra Electronics

USSI
4578 East Park 30 Drive
Columbia City
Indiana 46725-8869
USA
Tel: +1 260 248 3666
Email: sales@ultra-hyperspike.com
www.ultra-hyperspike.com
www.ultra-electronics.com



Ultra Electronics reserves the right to vary these specifications without notice.

© Ultra Electronics 2010.
Printed in 04192010



APAC Security Pty Ltd
22F-C2 | #49 Zhongshan South Road | 210005 Nanjing | China
tel +86 25 86893594 | www.apacsecurity.com
kriss.ding@apacsecurity.com